

NATURE
Discovery
@TRISARA





NATURE
Discovery
@ TRISARA

Discover Nature's Creatures at Trisara

Wellbeing is intricately tied to the rich tapestry of biodiversity that surrounds us. Biodiversity, the vast array of life forms inhabiting our planet, plays a crucial role in promoting our physical, mental, and emotional health.



ตาคา
Torch Ginger

Native to Phuket, often referred to as the Dala flower in Thailand but also called porcelain rose, the Ginger Torch is a tropical perennial plant in the ginger family with edible flower buds.



เฟื่องฟ้า
Bougainvillea

A thorny ornamental vine or bush, the bougainvillea flowers range from white to pink or even orange. In Thailand they are commonly used to decorate buildings and structures.



พุด ภูเก็ต
Phuket Gardenia

Endemic species that found naturally only in Phuket, Tarutao Island, and some islands of Phang nga province.

The plant in this picture was captured from Tri Vananda's Forest Zone and was grown in the land organically before our arrival.



คว่ำ
Black Plum

Native to Southeast Asia and the Andaman Islands, black plum is a perennial plant that grows organically there. Flowers range from pale yellow to white. When ripe, fruits turn purple black. It may live for more than a century and rise to heights of up to 30 meters (98 feet).



พุทธรักษา
Canna Lily

Canna Lily It is a herbaceous plant with a rather long lifespan. Grows well in the water. It is the home of aquatic animals. The rhizomes can be used for medicinal purposes.



เขนงนายพรานหรือ หม้อข้าวหม้อแกงลิง
Nepenthes mirabilis

Nepenthes mirabilis is a carnivorous plant. Grows in tropical swamps. It is a herbaceous vine that can be 6 m. long.



กล้วยไม้รองเท้านารี
Lady 's Slippers

It's a ground orchid or epiphytic orchids.

Due to their popularity, its type has been ruthlessly gathered and poached from the wild, making them very rare or extinct in some areas.



สับปะรดสี
Bromelied

Bromelied is a tree that emits oxygen and absorbs carbon dioxide at night. Used as an ornamental plant in gardens and buildings. It likes to grow in moist but not wet places.



บีโกเนีย
Begonia Herbaceous

It is a small herbaceous plant and grows about 15 to 30 cm tall. The edible flowers have a light sour taste.



กะเรกะร่อน
Cymbidium Epiphytic

Cymbidium Epiphytic grows as a perched epiphyte on the trunks and branches of trees. The flowers are fragrant and blooms during March to May.



บัวสายสีม่วง
Water Lily

The water Lily is an aquatic plant that grows from an underground trunk or rhizome. Their flowers bloom year-round and the stems can be eaten.



ปีกษาสวรรค์
Birds of Paradise

Resembling tropical birds, hence the name, birds of paradise flowers grown wild in Thailand but can also be kept as houseplants. They can grow up to 10 m tall.





บัวเมซอน
Creeping Burhead

Creeping Burhead is a wastewater treatment plant. Flowering occurs throughout year. It like to grow in water between 10 and 50 centimeters high.



เตยหอม
Pandanus

Pandanus prefers to grow near water and in wet areas. It is the habitat of fish. The stem and roots serve as a form of diuretic. The leaves are used in cooking and for treating skin ailments.



คูลุ่ม
Donax Canniformis

Donax Canniformis Plants that reach heights of up to 4 metres near streams and wetlands in southern Thailand. The trunk is useful for creating basketry. Leaves are used to wrap foods. The tubers can be used to treat skin rashes and blisters.



เจียงพรัางแอ
Fresh Water Mangrove

Fresh water Mangroves are perennial trees that prefer wet forests. The flowers are fragrant, and the ripe fruit serves as food for birds. Its wood is both sophisticated and durable, and it is frequently utilized in construction and furniture.



คล้าน้ำช่อห้อย
Water Canna

Water Canna prefers to grow in water. Light purple flowers bloom throughout the year. Leaves can be wrapped in food.



ไทรย้อย
Ficus Tree

Also known as a fig tree, the ficus are native throughout the tropics with a few species extending into the semi-warm temperate zones and can range from shrubs to robust woody trees.



เฟิร์นข้าหลวงหลังลาย
Bird's Nest Fern

It is an aerial fern , relies on trees and rocks. It is an air purifying and humidifying plant.



ฟิโลเดนดรอน
Philodendron

Philodendron is a plant that reduces toxins and helps purify the air.

NATURE Discovery @ TRISARA



กระแตแต้แว๊ด Red-wattled Lapwing

This kind of bird has a unique characteristic loud alarm calls to indicate of human or animal movements that come near their nest. The sounds have been variously rendered as “did he do it” or “pity to do it” leading to the colloquial name of did-he-do-it bird. They are usually seen in pairs or small groups not far from water, nestle on the ground with rocks.

Its species are currently protected by Thailand Wildlife Conservation Acts, BE 2535.



นกเอี้ยงดำปากชมพู Asian Glossy Starling

The Asian glossy starling (*Aplonis panayensis*) is a species of starling in the family Sturnidae.


Its natural habitats are subtropical or tropical moist lowland forest and subtropical or tropical mangrove forest. There is also a huge number of this species inhabiting towns and cities, where they take refuge in abandoned buildings and trees. They often move in large groups and are considered one of the noisiest species of birds.



นกกาน้ำเล็ก Little Cormorant

An all-black ducklike water bird that found across South and Southeast Asia, thrives in freshwater habitats like rivers and lakes. Little Cormorants are skilled fishers, diving underwater to catch their prey and often working together in groups.

Sadly, the Little Cormorant had recently been assessed for inclusion on the IUCN Red List of Threatened Species in 2016, and it is currently protected in Thailand under Wildlife Conservation Acts.



กระเต็นอกขาว White-throated Kingfisher

Resident birds or the birds that do not migrate. They spend the whole year in in Tri Vananda.

For the White-throated Kingfisher, Tri Vananda is “the forest of lasting happiness” that they choose to build up their home.



ปลาไน Nile Tilapia

The Nile tilapia reaches up to 60 cm (24 in) in length, and can exceed 5 kg (11 lb). As typical of tilapia, males reach a larger size and grow faster than females.



เต่าหัว Siamese box terrapin


These turtles have blackish-brown to olive-brown shells that are not as ornate as many other box turtles. All have a blackish olive head with three yellow stripes on the side. They are relatively small turtles, ranging in length between 200-250mm depending on subspecies and sex. Females are slightly larger than males.

Life expectancy is 25-30 years. The only true way of telling age is to guess by the texture of the shell, as growth rings form irregularly.



นกแซงแซวหางบ่วง Greater Rocket-tailed Drongo

In most of its range in Asia, this is the largest of the drongo species and is readily identifiable by the distinctive tail rackets and the crest of curled feather that begin in front of the face above the beak and along the crown to varying extents according to the subspecies. The tail with twirled rackets is distinctive and in flight it can appear as if two large bees were chasing a black bird. In the eastern Himalayas the species can be confused with the lesser racket-tailed drongo, however the latter has flat rackets with the crest nearly absent.



นกเป็ดผีน้อย Little Grebe

The little grebe is a small water bird with a pointed bill.

Juvenile birds have a yellow bill with a small black tip, and black and white streaks on the cheeks and sides of the neck as seen below. This yellow bill darkens as the juveniles age, eventually turning black in adulthood.

In winter, its size, buff plumage, with a darker back and cap, and "powder puff" rear end enable easy identification of this species. The little grebe's breeding call, given singly or in duet, is a trilled repeated weet-weet-weet or wee-wee-wee which sounds like a horse whinnying.



ผึ้ง Bee

Bees are winged insects closely related to wasps and ants, known for their roles in pollination and, in the case of the best-known bee species, the western honey bee, for producing honey.

There are over 20,000 known species of bees in seven recognized biological families. Some species – including honey bees, bumblebees, and stingless bees – live socially in colonies while most species – including mason bees, carpenter bees, leafcutter bees, and sweat bees – are solitary.



นกแซงแซวหางปลา Black Drongo

This is the largest of the drongo species in much of its habitat in Asia, and it is easily distinguished by the characteristic tail rackets and the crest of coiled feathers that begin in front of the face above the beak and extends to varied degrees along the crown depending on subspecies. The tail with twirling rackets is noticeable, and in flight it can appear to be two enormous bees chasing a black bird.



นกจาบคาหัวเขียว Blue-tailed Bee-Eater

This species, like other bee-eaters, is a richly coloured, slender bird. It is predominantly green; its face has a narrow blue patch with a black eye stripe, and a yellow and brown throat; the tail is blue and the beak is black.

This species is usually found near water and it predominantly eats flying insects, especially bees, wasps and hornets.





ปลาหมอนสีเหลือง Clark's Anemonefish

Living in sheltered reefs or in shallow lagoons, the Clark's Anemonefish can live up to 10 years in their natural habitat. Commonly called the yellowtail clownfish are identified by their black, yellow and white stripes in varying shades.



แมงกะพรุน Jellyfish

Jellyfish are found all over the world, from surface waters to the deep sea and have become known for their gel-like umbrella-shaped or box-shaped bell with long tentacles. Jellyfish have been in existence for at least 500 million years with over 1,800 species. Some harmless and other deadly, the jellyfish can be found across the spectrum from completely transparent to a range of different colors. Ranging in size from the smallest at 1mm in diameter to the biggest at 2 meters to be recorded.



ปลาไหลมอเรย์ยักษ์ Giant Moray

One of the largest eels in terms of body length, reaching up to a little over 3 meters in length and 30 kg in weight. Its elongated body is brownish in color while juveniles are tan in color with large black spots, adults have black specks that grade into leopard-like spots behind the head. The Moray are carnivores and nocturnal, hunting its prey within the coral reef.



ปลาปักเป้า Porcupine Fish

Commonly known as a pufferfish, blowfish or balloonfish, with over 18 species, some poisonous. The Porcupine fish inflate their bodies by swallowing water or air almost double in size with sharp spines used as a defense mechanism against predators.



ปลาผีเสื้อหิน Melon Butterfly Fish

A ray-finned oval-shaped fish commonly seen in shallow reefs in warm tropical waters. Growing up to 15 cm long, the melon butterfly fish is identifiable thanks to its yellow, blue, white, and black colorways in long stripe formations with an occasional hint of orange.



ปลาการ์ตูน Clownfish

Most notably famous for their distinct appearance of orange, white and a touch of black, there are around 30 known species of clownfish and they can grow anywhere from 6mm to 160mm. Clownfish are found in the warm and tropical waters of the Indo-Pacific, inhabiting mainly coral reefs.



ปลาสิ็ดทะเลจุดขาว White-Spotted Spinefoot

From white to greenish brown with blue and white spots, the white-spotted spinefoot is also referred to as the pearly spinefoot or seagrass rabbitfish. Living in deeper waters, growing up to 20 cm on average and eat algae.



ดาวทะเล Sea Star

Commonly called a starfish or even an asteroid, there are over 1,900 species worldwide living on the seabed and reefs in tropical climates. Varying in bright colors such as orange, blue, pink, purple, gray and beyond, typically identified by its five arms and central disc resembling a star. They are believed to be 450 million years old with some species being venomous and others harmless, with a lifespan from 2- 35 years. The sea star possess the ability to regenerate lost arms or even an entirely new limb.



ปลาเบลนนี่ Blennies

Approximately nearly 900 species across the globe, the blennies have elongated bodies in various colorations up to 55 cm. Usually seen on the sea floor and sometimes burrowing themselves into the sand crevices in reefs.



กุ้งมังกร Spiny Lobster

Also known as Langustas or rock lobsters, they present with a harder exoskeleton and long and spiny antennae and no claws. Usually growing up to 30 - 40 cm, the spiny lobster is only found in warm waters across the globe.



ปลากระรอกแดง Red Squirrel Fish

Featuring iconic red and white stripes across its body, also known as the Hawaiian Squirrelfish or Striped Squirrelfish. Originally discovered on the Hawaiian islands. They are a nocturnal species and swim in groups in shallow reefs.



ปลาผีเสื้อดอกมะพร้าว Indo-Pacific Sergeant

Part of the damselfish family, the Indo-Pacific sergeant is also commonly know as the sergeant major. Spotted with their signature white bluish body with yellow top stripes, growing up to around 18 cm living in rocky coral reefs.



ปูทะเล
Indo-Pacific Swimmer Crab

A small and spiny crab with flattened, paddle-like legs and elongated claws. Typically growing up to 50 - 80 cm in width, ranging from brown and white hues to green grayish color to a signature orange.



ปลากล้วยทอง
Goldband Fusilier

Swimming in big groups in shallow reefs, the gold-band fusilier is also known as yellow-band fusilier or black-tipped fusilier. They live off of zooplankton and are distinguishable by their yellow or orange strip along the flank with the rest ranging from pale blue to brownish and white or even pink sometimes.




ดาวทะเลสีฟ้า
Blue Sea Star

Showcasing a striking true blue color, the blue sea star can grow up to 30cm in diameter. Commonly seen as a souvenir item when dried, this star fish lives a sedentary life in the coral reefs in tropical waters.



ปลาเก๋าหางยาว
Longfin Grouper

Sporting a white color with roundish patterned spots in black and brown across its 20 cm to 40 cm long body. The longfin grouper live close the reefs and feeds on worms, smaller fish and crustaceans.





ปลาหางเหลือง Yellowtail Fusilier

Distinctly spotted thanks to its vibrant coloration with a gray-blue body and yellow fins, this ray-fish is also known by the names redbelly yellowtail fusiliers or red-bellied fusiliers. They can grow up to 60cm long and inhabit rocky reefs.



ปลาสามจุดหรือปลาโดมิโน Threespot Dascyllus

Sometimes called a domino fish or domino damsel, known for their yellow underbelly and orange streaks, with a fully black colored body and three white dots.



หอยทากมังกร Tridacna

A large saltwater clam, identifiable by its 4-6 wavy folds in its shell. The Tridacna got its name from the Greek words *tri* meaning three and *dacno* meaning bite, live in symbiosis with certain algae and can produce large white pearls.



ดาวทะเลหนาม Crown-Of-Thorn Starfish

One of the largest starfish in the world, the crown-of-thorns starfish is known for its venomous thornlike spines throughout its body. They prey upon hard coral polyps with distinct features including a disc-shaped body, multiple arms and heavily spined. Growing up to 25-35 cm with over 21 arms, this type of starfish varies in color from bright purple to a grayish-blue.



ปลาหมึก Cuttlefish

Categorized as a marine molluscs including squid, octopuses, and nautilus, the cuttlefish genus uniquely have an internal cuttlebone shell which controls its buoyancy. They have eight arms and two two tentacles with suckers with a life expectancy between 1-2 years.



ปลานกแก้ว Parrotfish

With a beak-like mouth and colorful rainbow of hues, there are around 95 different species of Parrotfish and they can grow up to 30 - 50cm in length. They help keep a healthy reef by eating algae and grinding dead corals into sand.



ปลาทะเลในตระกูล Labridae

Another rainbow colored fish, the ray-finned fish includes over 600 species, also known as the wrasses, a subgroup of the Parrotfish. They can range from smaller than 20cm to over 2.5 meters.



ปลาคลาวด์หรือปลาคลาวด์สีเหลือง Lemon Damsel

Strikingly yellow, the Lemon Damsel can grow up to 9cm and live in clear-water lagoons and shallow waters. Their diet consists of algae and planktonics.

TRISARA

